UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/797,840	03/10/2004	Leo M. Pedlow JR.	SNY-T5715.02	6433
	7590 08/19/200 ENT SERVICES	EXAMINER		
2500 DOCKER	YLANE	STANLEY, MARK P		
RALEIGH, NC 27606			ART UNIT	PAPER NUMBER
			2427	
			MAIL DATE	DELIVERY MODE
			08/19/2009	PAPER

# Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)
	10/797,840	PEDLOW ET AL.
Office Action Summary	Examiner	Art Unit
	MARK P. STANLEY	2427
The MAILING DATE of this communication ap Period for Reply	opears on the cover sheet with the	correspondence address
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING IDENTIFY OF THE MORE OF T	DATE OF THIS COMMUNICATIO .136(a). In no event, however, may a reply be tid d will apply and will expire SIX (6) MONTHS fron the, cause the application to become ABANDONI	N. mely filed n the mailing date of this communication. ED (35 U.S.C. § 133).
Status		
Responsive to communication(s) filed on <u>08.</u> 2a)  This action is <b>FINAL</b> . 2b)  The 3) Since this application is in condition for allowed closed in accordance with the practice under	is action is non-final. ance except for formal matters, pr	
Disposition of Claims		
4)	awn from consideration.	
Application Papers		
9) The specification is objected to by the Examir 10) The drawing(s) filed on is/are: a) according an applicant may not request that any objection to the Replacement drawing sheet(s) including the correction of the specific part of th	ccepted or b) objected to by the e drawing(s) be held in abeyance. Se ction is required if the drawing(s) is ob	ee 37 CFR 1.85(a). pjected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreig a) All b) Some * c) None of:  1. Certified copies of the priority documer 2. Certified copies of the priority documer 3. Copies of the certified copies of the pri application from the International Bures * See the attached detailed Office action for a list	nts have been received. nts have been received in Applicat ority documents have been receiv au (PCT Rule 17.2(a)).	tion No red in this National Stage
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO/SB/08)  Paper No(s)/Mail Date	4)  Interview Summar Paper No(s)/Mail D 5)  Notice of Informal 6)  Other:	oate

Art Unit: 2427

## **DETAILED ACTION**

#### Miscellaneous

1. This action is in response to Amendment dated 6/1/2009 and 6/8/2009. Claims 1,

9, 11, 19, 26 and 32 have been newly amended. Claims 41-43 have been newly added.

#### Continued Examination Under 37 CFR 1.114

2. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 6/1/2009 has been entered.

### Response to Arguments

3. Applicant's arguments have been considered but are moot in view of the new ground(s) of rejection.

# Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

5. Claims 1-19, 21-26, 28-32, and 34-43 are rejected under 35 U.S.C. 103(a) as being unpatentable over Giglio et al. (US 2004/0039821 hereinafter Giglio) in view of Arnold et al. (US 2005/0108769 hereinafter Arnold) and further in view of Larson et al. ('DNS on Windows 2000' hereinafter Larson), Mouko et al. (US 6,678,732 hereinafter Mouko) and Stapp et al. (US 7,152,117 hereinafter Stapp).

**Regarding claim 1,** Giglio discloses "a method of configuring a home entertainment network terminal at a subscriber site, comprising:" (abstract)

"provisioning the home entertainment network terminal by using DHCP services to obtain a unique terminal identifier, wherein the DHCP services use DHCP option 43 to define a scope of the subscriber site in which the scope is defined to be equal to a maximum number of potential peer terminals at the subscriber site, wherein the DHCP services use DHCP option 15 to define a unique sub-domain name for the subscriber site, and wherein the DHCP services use DHCP option 12 to define a common host name" ([0008], [0024], [0027], option 43 is 'vendor specific information', scope is IP address pool, refer to RFC 2131 for use with options 12 and 15, both well known to those in the art for use during a DHCP process).

But, while Giglio teaches the use of assigning an IP address via DHCP to uniquely identify a terminal ([0005]) and acknowledging that IP addresses are not an optimum sole source for locating a specific device on a network when a terminal is constantly leaving and re-entering the network via DHCP ([0011]), Giglio does not explicitly state identifying the terminal via an address being a concatenation of the

'terminal identifier' and the 'host name' or the 'host name' being selected to include a 'number for the terminal wherein the number falls within the scope'.

However, Mouko teaches the selection of the 'host name' including a number based on an available scope (col. 5 line 59 - col. 6 line 3, Fig. 8) and Larson teaches concatenating the host name from DHCP option 12, and the domain name from DHCP option 15, where the concatenation of the domain name with host name better identifies the terminal; hence the domain name acts essentially as a terminal identifier upon concatenation (pages 15-16, 'DHCP Server Behavior').

Further, Giglio does not explicitly state the following:

"carrying out a discovery process by attempting to contact each terminal within the sub-domain within the scope of the subscriber site defined by the DHCP option 43, wherein the discovery process is limited by the maximum number of potential peer terminals at the subscriber site; and

for at least one terminal identified in the discovery process, synchronizing a database with a database residing at the identified terminal"

However, Arnold teaches connecting terminals to a network via a DHCP process ([0084]-[0085]) and subsequently initiating a discovery process with other terminals on the network to synchronize databases ([0113]-[0114]).

Further, Giglio does not explicitly state the scope being a subset of the maximum number of potential peer terminals residing at the subscriber site.

However, Stapp discloses via DHCP during client terminal discovery, the server allocating a subset of IP addresses from a pool of IP addresses to select networks (col. 12 lines 26-43, item 115b the Red bank of IP addresses and item 115a the Green bank

of IP addresses are assigned a set scope from <u>item 112</u> the entire address pool where the Red and Green bank are respectively associated with Red and Green networks, col. 12 line 61- col. 13 line 6 the use of subnets where Red and Green networks contain subnets where portions of the Red or Green networks are assigned a subset of the Red or Green pool).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of the invention to combine the teachings of Giglio for use of DHCP discovery and option 43 to define a scope with the teachings of Mouko for numerical numbering included in assigned DHCP hostnames based on an available scope with the teachings of Larson for concatenating a DHCP hostname of a terminal a terminal identifier and further with the teachings of Arnold for synchronizing databases of a newly connected terminal via DHCP to an older connected terminal on the network and further with the teachings of Stapp for defining a scope as a subset of the maximum number of potential peer terminals residing at the subscriber site. One would have been motivated to do so for the purpose of better identifying of a terminal via inclusion of numerical numbering in a hostname and concatenation of a hostname with an identifier where Giglio acknowledges IP addresses are not an optimum sole source for locating a specific device on a network (see Giglio [0011]) and further to provide up-to-date information desirable on a newly connected terminal available on an older connected terminal via synchronizing (see Arnold [0113]-[0114]) and further to use a scope being a subset of the maximum number of potential peer terminals residing at the subscriber site to

account for only a fraction of the terminals being physically connected to the network actually being in use (see Stapp col. 1 lines 47-49).

Regarding claim 2, Giglio, Larson, Mouko, Arnold and Stapp disclose "the method according to claim 1, wherein the synchronizing comprises synchronizing to an identified terminal having a database carrying a most recent time stamp" (applicant's admission of fact provides evidence that synchronizing a database to one with the most recent time stamp is known in the art)

Regarding claim 3, Giglio, Larson, Mouko, Arnold and Stapp disclose "the method according to claim 1, wherein the synchronizing comprises synchronizing to an identified terminal having either a lowest or highest ordered identifier" (see Arnold [0113]-[0114], synchronizing to a single terminal, where if only one other terminal exists then the synchronizing must be to a lowest or highest ordered identifier).

Regarding claim 4, Giglio, Larson, Mouko, Arnold and Stapp disclose "the method according to claim 1, wherein the database comprises a transactional based database" (OFFICIAL NOTICE is taken that transactional based databases are well known and would have been obvious to use for the purpose of ensuring the integrity of the data in the given database, where if a transaction occurs with no errors it is considered complete and with errors there is a failure and either retry or cancel).

Art Unit: 2427

Regarding claim 5, Giglio, Larson, Mouko, Arnold and Stapp disclose "the method according to claim 1, further comprising determining that a re-discovery time has arrived and repeating the carrying out the discovery process and the synchronizing" (OFFICIAL NOTICE is taken that timeout limits and limited retry attempts are well known for the purpose of preventing an endless connection attempts and a single endless initial connection attempt).

**Regarding claim 6,** Giglio, Larson, Mouko, Arnold and Stapp disclose "the method according to claim 1, further comprising listing an identified terminal in a list of active terminals in the sub-domain" (see Arnold [0138]-[0140], certificate listing valid terminals in the sub-domain)

Regarding claim 7, The method according to claim 1, wherein the discovery process further comprises attempting unsuccessfully to contact a terminal, and marking the unsuccessfully contacted terminal as invalid on a list of active terminals in the subdomain" (see Arnold [0138]-[0140], certificate listing valid terminals in the sub-domain, where OFFICIAL NOTICE is taken that marking terminals as invalid in a listing during discovery would have been well known for the purpose of tracking validity of terminals in the listings)

Application/Control Number: 10/797,840

Page 8

Art Unit: 2427

**Regarding claim 8,** the claim has been analyzed and rejected for the same reasoning as 5 and 7 above.

**Regarding claim 9,** Giglio discloses "a method of configuring a home entertainment network terminal at a subscriber site, comprising:" (abstract)

"provisioning the home entertainment network terminal by using DHCP services to obtain a unique terminal identifier, wherein the DHCP services use DHCP option 43 to define a scope of the subscriber site, wherein the DHCP services use DHCP option 15 to define a unique sub- domain name for the subscriber site, and wherein the DHCP services use DHCP option 12 to define a common host name for the terminal;

provisioning the home entertainment network terminal by using DHCP services to obtain a unique terminal identifier, wherein the DHCP services use DHCP option 43 to define a scope of the subscriber site in which the scope is defined to be equal to a maximum number of potential peer terminals at the subscriber site, wherein the DHCP services use DHCP option 15 to define a unique sub-domain name for the subscriber site, and wherein the DHCP services use DHCP option 12 to define a common host name" ([0008], [0024], [0027], option 43 is 'vendor specific information', scope is IP address pool, refer to RFC 2131 for use with options 12 and 15, both well known to those in the art for use during a DHCP process, where a timeout limit and retry limit for a DHCP process is well known to those in the art).

But, while Giglio teaches the use of assigning an IP address via DHCP to uniquely identify a terminal ([0005]) and acknowledging that IP addresses are not an optimum sole source for locating a specific device on a network when a terminal is constantly leaving and re-entering the network via DHCP ([0011]), Giglio does not explicitly state identifying the terminal via an address being a concatenation of the 'terminal identifier' and the 'host name' or the 'host name' being selected to include a 'number for the terminal wherein the number falls within the scope'.

However, Mouko teaches the selection of the 'host name' including a number based on an available scope (col. 5 line 59 - col. 6 line 3, Fig. 8) and Larson teaches concatenating the host name from DHCP option 12, and the domain name from DHCP option 15, where the concatenation of the domain name with host name better identifies the terminal; hence the domain name acts essentially as a terminal identifier upon concatenation (pages 15-16, 'DHCP Server Behavior').

Further, Giglio does not explicitly state the following:

"carrying out a discovery process by attempting to contact each terminal within the sub-domain within the scope of the subscriber site defined by the DHCP option 43, wherein the discovery process is limited by the maximum number of potential peer terminals at the subscriber site;

for at least one terminal identified in the discovery process, synchronizing a transactional based database with a database residing at the identified terminal, the identified terminal having a database carrying a most recent time stamp, and wherein the identified terminal has either a lowest or highest ordered identifier; listing the identified terminal in a list of active terminals in the sub-domain;

However, Arnold teaches connecting terminals to a network via a DHCP process ([0084]-[0085]) and subsequently initiating a discovery process with other terminals on the network to synchronize databases ([0113]-[0114]), where synchronizing is to a single terminal and if only one other terminal exists then the synchronizing must be to a lowest or highest ordered identifier and a certificate used by the terminal for identifying valid terminals in the domain ([0138]-[0140], where applicant's admission of fact provides evidence that synchronizing a database to one with the most recent time stamp is known in the art).

Further, Giglio does not explicitly state the scope being a subset of the maximum number of potential peer terminals residing at the subscriber site.

However, Stapp discloses via DHCP during client terminal discovery, the server allocating a subset of IP addresses from a pool of IP addresses to select networks (col. 12 lines 26-43, item 115b the Red bank of IP addresses and item 115a the Green bank of IP addresses are assigned a set scope from item 112 the entire address pool where the Red and Green bank are respectively associated with Red and Green networks, col. 12 line 61- col. 13 line 6 the use of subnets where Red and Green networks contain subnets where portions of the Red or Green networks are assigned a subset of the Red or Green pool).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of the invention to combine the teachings of Giglio for use of DHCP discovery and option 43 to define a scope with the teachings of Mouko for numerical numbering included in assigned DHCP hostnames based on an available scope with the teachings

of Larson for concatenating a DHCP hostname of a terminal a terminal identifier and further with the teachings of Arnold for synchronizing databases of a newly connected terminal via DHCP to an older connected terminal on the network. One would have been motivated to do so for the purpose of better identifying of a terminal via inclusion of numerical numbering in a hostname and concatenation of a hostname with an identifier where Giglio acknowledges IP addresses are not an optimum sole source for locating a specific device on a network (see Giglio [0011]) and further to provide up-to-date information desirable on a newly connected terminal available on an older connected terminal via synchronizing (see Arnold [0113]-[0114]), and further to use a re-discovery time for the purpose of addressing the constant connection and disconnection of terminals in the sub-domain when using DHCP ([0011]) and further to use a scope being a subset of the maximum number of potential peer terminals residing at the subscriber site to account for only a fraction of the terminals being physically connected to the network actually being in use (see Stapp col. 1 lines 47-49).

**Regarding claim 10,** the claim has been analyzed and rejected for the same reasoning as 5 and 7 above.

**Regarding claims 11-18,** the claims have been analyzed and rejected for the same reasoning as 1-8 above respectively, where the apparatus performs the method.

**Regarding claims 19 and 21-24,** the claimed limitations have been analyzed and rejected for the same rationale as stated in claims 1-3, 5 and 7 above respectively.

**Regarding claim 25**, Giglio, Larson, Mouko, Arnold and Stapp disclose "the home entertainment network terminal according to claim 19, wherein the terminal comprises a television set-top box" (see Arnold Fig. 10, <u>items 1003-1005</u>).

Regarding claims 26 and 28-31, the claimed limitations have been analyzed and rejected for the same rationale as stated in where the computer readable storage medium storing instructions when executed performs the method of claim 1.

**Regarding claim 32, 34-37,** the claimed limitations have been analyzed and rejected for the same rationale as stated in claims 1-3, 5 and 7 above respectively.

**Regarding claims 38-40** Giglio, Larson, Mouko, Arnold and Stapp disclose the use of a television set-top box (see Arnold [0036], Fig. 1 item 110)

Regarding claims 41-43 Giglio, Larson, Mouko, Arnold and Stapp disclose the limitations of claims 1, 11 and 32. But, while Stapp states the number of terminals that can be physically connected on a network constantly changing and assigning a scope of varying degrees to the Red and Green networks and the Red and Green subnets, Stapp

Art Unit: 2427

does not explicitly state the scope having a maximum of eight. However, OFFICIAL NOTICE is taken that any reasonable number of expected terminals physically connected to the network and subnet including eight would have been applicable with the teachings of Stapp for the purpose of accounting for varying degrees of network site and subnet site sizes.

#### Contacts

Any inquiry concerning this communication or earlier communications from the examiner should be directed to MARK P. STANLEY whose telephone number is (571)270-3757. The examiner can normally be reached on 8:00AM - 5:00PM Mon-Fri EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Scott Beliveau can be reached on (571) 272-7343. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2427

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Mark P Stanley/ Examiner, Art Unit 2427

/Scott Beliveau/ Supervisory Patent Examiner, Art Unit 2427